


▶ DOOR










DOOR

3700 SERIES (100MM)











SECTION NO.	DESCRIPTION	T (mm)	WT (kg/m)	SECTION NO.	DESCRIPTION	T (mm)	WT (kg/m)
3733	<p>Frame - Hinged</p>	1.0		3718A	<p>Shutter Middle</p>	1.0	
		1.2	0.78			1.2	0.70
		1.5	1.00			1.5	

SECTION NO.	DESCRIPTION	T (mm)	WT (kg/m)	SECTION NO.	DESCRIPTION	T (mm)	WT (kg/m)
3722	 Frame - Swing	1.0		3720	 Shutter Vertical	1.0	
		1.2	0.78			1.2	0.67
		1.5	0.92			1.5	
3745	 Frame - with net	1.0		3721	 Clip		0.13
		1.4	0.95	1272	 Net	0.9	0.41
		1.5					
3718	 Shutter - Top/L/R	1.0		5564	 Door Bottom	2.0	1.80
		1.2	0.63			2.5	
		1.5					

DOOR

MISCELLANEOUS SERIES

 3820 Frame - Top/L/R	0.52	 <table border="1"> <thead> <tr> <th></th> <th>a</th> <th>b</th> <th>kg/m</th> </tr> </thead> <tbody> <tr> <td>3840</td> <td>44.5</td> <td>47.6</td> <td>0.66</td> </tr> <tr> <td>3836</td> <td>44.5</td> <td>83.5</td> <td>1.07.</td> </tr> </tbody> </table> Shutter - Top/L/R		a	b	kg/m	3840	44.5	47.6	0.66	3836	44.5	83.5	1.07.	 <table border="1"> <thead> <tr> <th></th> <th>a</th> <th>b</th> <th>kg/m</th> </tr> </thead> <tbody> <tr> <td>3834</td> <td>44.5</td> <td>47.6</td> <td>0.66</td> </tr> <tr> <td>3846A</td> <td>44.5</td> <td>83.5</td> <td>1.08</td> </tr> <tr> <td>4013</td> <td>44.5</td> <td>100</td> <td>1.60</td> </tr> </tbody> </table> Shutter - Top/L/R		a	b	kg/m	3834	44.5	47.6	0.66	3846A	44.5	83.5	1.08	4013	44.5	100	1.60
	a	b	kg/m																												
3840	44.5	47.6	0.66																												
3836	44.5	83.5	1.07.																												
	a	b	kg/m																												
3834	44.5	47.6	0.66																												
3846A	44.5	83.5	1.08																												
4013	44.5	100	1.60																												
 3820 A Frame - Top/L/R	0.69	 3834 A Shutter Vertical	0.57																												
 5566 Frame - Top/L/R	0.50	 <table border="1"> <thead> <tr> <th></th> <th>a</th> <th>b</th> <th>kg/m</th> </tr> </thead> <tbody> <tr> <td>3832</td> <td>47.5</td> <td>44.5</td> <td>0.66</td> </tr> <tr> <td>3842</td> <td>85</td> <td>44.5</td> <td>0.97</td> </tr> </tbody> </table> Shutter Vertical		a	b	kg/m	3832	47.5	44.5	0.66	3842	85	44.5	0.97	 <table border="1"> <thead> <tr> <th></th> <th>a</th> <th>b</th> <th>kg/m</th> </tr> </thead> <tbody> <tr> <td>3844</td> <td>44.5</td> <td>47.6</td> <td>0.66</td> </tr> <tr> <td>3826</td> <td>44.5</td> <td>83.5</td> <td>0.93</td> </tr> <tr> <td>4014</td> <td>44.5</td> <td>100</td> <td>1.60</td> </tr> </tbody> </table> Shutter Middle		a	b	kg/m	3844	44.5	47.6	0.66	3826	44.5	83.5	0.93	4014	44.5	100	1.60
	a	b	kg/m																												
3832	47.5	44.5	0.66																												
3842	85	44.5	0.97																												
	a	b	kg/m																												
3844	44.5	47.6	0.66																												
3826	44.5	83.5	0.93																												
4014	44.5	100	1.60																												



Hulas Aluminium

